Plastics, Rubber and Composites Processing and Applications **23** (1995) 345–347

Plastics, Rubber and Composites Processing and Applications

CONTENTS OF VOLUME 23

Volume 23 Number 1 1995

1 The 'Spherilene' process
P. GALLI (Italy)

11 Analysis of composite test methods using Raman spectroscopy
R. J. YOUNG, Y.-L. HUANG, X. GU & R. J. DAY (UK)

21 Physicochemical properties of carbon blacks from vacuum pyrolysis of used tires
C. ROY, A. RASTEGAR, S. KALIAGUINE, H. DARMSTADT & V. TOCHEV (Canada)

31 The effect of the poly(butylene terephthalate) constituent on the reactions occurring in poly(butylene terephthalate)/polycarbonate polymer blends below their decomposition temperature
M. PELLOW-JARMAN (UK) & M. HETEM (The Netherlands)

43 Modes of action of a multifunctional additive in a carbon black filled natural rubber compound
H. ISMAIL, P. K. FREAKLEY, R. H. BRADLEY, I. SUTHERLAND & E. SHENG (UK)

53 Studies of molecular interactions between PVC and plasticisers
C. HOWICK (UK)

61 Forthcoming meetings

Volume 23 Number 2 1995

63 Mechanical and thermomechanical properties of discontinuous long glass fiber reinforced PA66/PP blends
T. HARMIA & K. FRIEDRICH (Germany)

71 Microstructure and physical property control of injection moulded polypropylene
G. KALAY, P. ALLAN & M. J. BEVIS (UK)

87 Strength of square-edged and bevel-edged adhesive joints immersed in different solutions
H. W. SO, N. CHEN & P. I. F. NIEM (Hong Kong)

93 A new short die swell equation for polymer extrusion
J. Z. LIANG (China)

97 Molecular weight distribution and Meyer–Neldel behaviour of electrical conductivity in styrene : metal complex copolymers
J. R. ALLAN, K. TURVEY & I. J. WOOD (UK)

103 Thermally induced crosslinking in blends of poly(vinyl chloride) and hydrogenated nitrile rubber during mixing
N. R. MANOJ & P. P. DE (India)

111 The influence of adhesion promoters on the properties of injection moulded long-glass-fibre polypropylene
P. PELTONEN, E. J. PÄÄKKÖNEN, P. K. JÄRVELÄ & P. TÖRMÄLÄ (Finland)

Plastics, Rubber and Composites Processing and Applications (**23**) — © 1995 The Institute of Materials, England. Printed in Great Britain

Short Communications

127 Neural network Boolean prediction of melt fracture
R. W. DIRADDO, M. LATO & A. GARCIA-REJON (Canada)

131 A study of the performance of chloropentaamminecobalt (III) chloride as a colouring material for poly(vinyl chloride)
B. R. CARSON (UK), G. KENESSEY (Hungary), J. R. ALLAN (UK) & G. LIPTAY (Hungary)

135 Book review

137 Forthcoming meetings

Volume 23 Number 3 1995

139 Enhancement of internal weld line strength in thermotropic liquid crystal polymer mouldings
L. WANG, P. S. ALLAN & M. J. BEVIS (UK)

151 The processing, structure and properties of structural composites formed by reaction injection moulding (SRIM)
A. J. RYAN, J. L. STANFORD & XIAO QIU TAO (UK)

161 Influence of reaction injection moulding (RIM) processing variables on the mechanical properties of a commercial linear segmented polyamide
S. D. LONG, I. DAWOOD, P. D. COATES & A. F. JOHNSON (UK)

175 Fire performance of composite panels for large marine structures
A. G. GIBSON & J. HUME (UK)

185 A thermo-mechanical FEA for rubber components
D. J. CHARLTON & K. K. TEH (Australia)

193 Morphology and physical properties of closed cell microcellular ethylene propylene diene terpolymer (EPDM) rubber vulcanizates—effect of silica filler and blowing agent
K. C. GURIYA & D. K. TRIPATHY (India)

201 Forthcoming meetings

Volume 23 Number 4 1995

203 Application of the enthalpy method to the blow moulding of polymers
P. J. HEGGS, J. M. HOUGHTON & D. B. INGHAM (UK)

211 An investigation of the flow behaviour of rotationally moulded NYRIM®
E. HARKIN-JONES & R. J. CRAWFORD (UK)

221 Effect of cooling system design and process parameters on cyclic variation of mold temperatures—simulation by DRBEM
S. Y. HU, N. T. CHENG & S. C. CHEN (China)

233 The water permeability of blended polyethylene films
A. CHI-YING WONG (Hong Kong)

241 Injection moulding of glass fibre reinforced phenolic composites: 1. Study of the critical fibre length and the interfacial shear strength
F. CHEN & F. R. JONES (UK)

249 Rheological behaviour of natural and synthetic rubber lattices in the presence of surface active agents
J. T. VARKEY, S. SOMESWARA RAO & S. THOMAS (India)

259 On the evaluation of fracture toughness of polymers
G. MEDRI, C. CALI' & R. RICCI (Italy)

265 Structure development via FT-IR spectroscopy, synchrotron SAXS and rheology during the reactive processing of flexible polyurethane foam
M. J. ELWELL, A. J. RYAN (UK), H. J. M. GRÜNBAUER, H. C. VAN LIESHOUT & W. LIDY (The Netherlands)

277 Forthcoming meetings

Volume 23 Number 5 1995

Review

279 Advances in processing of continuous fibre reinforced composites with thermoplastic matrix
M. HOU, L. YE & Y.-W. MAI (Australia)

295 In-process measurements for monitoring and control of gelation levels in UPVC compounding
P. D. COATES, R. M. ROSE & B. WILKINSON (UK)

305 Cooling of extruder strands—experiments and modelling
H. GÜLDENER, J. GORDON-DUFFY, M. WEIDENBACH, U. FLECHTNER, J. PRÜSS & HANS-JOACHIM WARNECKE (Germany)

311 Creep and physical ageing in an oriented thermotropic liquid-crystalline polymer
J. A. H. M. BUIJS & J. BREEN (The Netherlands)

319 Thermal analysis of ethylene propylene rubber-chlorosulphonated polyethylene rubber blends
S. BHAUMIK & N. K. DATTA (India)

325 Effect of brominated Bisphenol A on the cure, morphology and properties of epoxy/CTBN blends
I. K. PARTRIDGE & G. M. MAÏSTROS (UK)

331 Effects of cure schedule and stoichiometry on the dynamic mechanical behaviour of epoxy resin modified with polyethersulfone
I. MONDRAGON (Spain), I. QUINTARD (UK) & C. B. BUCKNALL (UK)

Short Communication

339 Preparation, structural characterisation and electrical properties of cobalt and zinc with acrylamide: acrylic acid copolymers
J. R. ALLAN & I. J. WOOD (UK)

343 Forthcoming meetings

345 Contents of Volume